



## HANOI NATURAL ESSENTIAL OIL ., JSC

Office: D7-TT9 Xuan Phuong Urban, Nam Tu Liem Distric, Ha Noi, Viet Nam.

Factory: Bai Dai, Tien Xuan, Thach That, Ha Noi, Viet Nam.

Tel: (+84-24)66.543.544 \* Tax code: 0107407609

Email: [tinhdauhanoi@gmail.com](mailto:tinhdauhanoi@gmail.com) / [info@vipsen.vn](mailto:info@vipsen.vn)

Website: [www.tinhdauhanoi.com](http://www.tinhdauhanoi.com) - [www.vipsen.vn](http://www.vipsen.vn)

## MATERIAL SAFETY DATA SHEET

### 1. PRODUCT NAME AND COMPANY IDENTIFICATION

Product Name: Orange oil  
Product Use: Diffuser aroma and flavor for cosmetic, food  
Company name: Hanoi Natural Essential Oil Joint Stock Company  
Company Address: Number 9, 514/53 Thuy Khue, Buoï Commune, Tay Ho District, Hanoi, VietNam.  
Emergency telephone number: +84 866 053 350  
Emergency contact: Jenny Nguyen

### 2. COMPOSITION / INFORMATION ON INGREDIENTS.

Definition/Botanical Origin: Definition: Orange oil is 100% pure & natural, obtained by steam distillation peel of *Citrus x sinensis*.

Composition: Citrus x sinensis oil 100% pure & natural

CAS No: 8008-57-9

FEMA: 2824

INCI Name: Citrus x sinensis oil

### 3. HAZARDS IDENTIFICATION:

This product is not hazardous. Not dangerous for the environment.

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

### 4. FIRST-AID MEASURES:

Inhalation: Remove from exposure site to fresh air. Keep at rest. Obtain medical attention.

Eye contact: Rinse immediately with plenty of water for at least 15 mins. Contact a doctor if symptoms persist.



Skin contact: Remove contaminated clothes. Wash thoroughly with soap & water, flush with plenty of water. If irritation persists, seek medical advice.

Ingestion: Rinse mouth out with water. Seek medical advice immediately.

Other: When assessing action take Risk & Safety Phrases into account (Section 15)

## **5. FIRE FIGHTING MEASURES.**

Extinguishing media Use CO<sub>2</sub>, Dry Powder or Foam type Extinguishers, spraying extinguishing media to base of flames. Do not use direct water jet on burning material.

Special measures: Avoid vapour inhalation. Keep away from sources of ignition. Do not smoke. Wear positive pressure self-contained breathing apparatus & protective clothing.

Extinguishing procedures: Closed containers may build up pressure when exposed to heat and should be cooled with water spray.

## **6. ACCIDENTAL RELEASE MEASURES.**

Personal precautions: Avoid inhalation & direct contact with skin & eyes. Use individual protective equipment (safety glasses, waterproof-boots, suitable protective clothing) in case of major spillages.

Environment precautions: Keep away from drains, soils, surface & groundwaters.

Cleaning up methods Remove all potential ignition sources. Contain spilled material.

Cover for spillages: with an inert or non-combustible inorganic absorbent material, sweep up and remove to an approved disposal container. Observe state, federal & local disposal regulations.

## **7. HANDLING & STORAGE.**

Precautions in handling: Apply good manufacturing practice & industrial hygiene practices, ensuring proper ventilation. Observe good personal hygiene, and do not eat, drink or smoke whilst handling.

Storage conditions: Store in tightly closed original container, in a cool, dry & ventilated area away from heat sources & protected from light. Keep air contact to a minimum.

Fire protection: Keep away from ignition sources & naked flames. Take precautions to avoid static discharges in working area.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION.**

Respiratory protection: Avoid breathing product vapour. Apply local ventilation where possible.

Ventilation: Ensure good ventilation of working area.

Hand protection: Avoid all skin contact. Use chemically resistant gloves if required.

Eye protection: Use safety glasses.

Work/Hygiene practices: Wash hands with soap & water after handling.

## **9. PHYSICAL & CHEMICAL PROPERTIES.**

Colour: Yellow to dark yellow

Appearance: Mobile liquid

7407  
JUNG T  
PHÃ  
THIÊN  
À NỘ  
J-T.F



Odour: Typical of natural orange oil  
Flash point: 46°C  
Specific gravity at 20°C: 0.830 – 0.900  
Refractive index at 20°C: 1.450 - 1.520  
Solubility in water: Insoluble

#### **10. STABILITY & REACTIVITY.**

Reactivity: It presents no significant reactivity hazards, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidising agents.

Decomposition: Liable to cause smoke & acrid fumes during combustion: carbon monoxide, carbon dioxide & other non-identified organic compounds may be formed.

#### **11. TOXICOLOGICAL INFORMATION.**

According to current information, not classed as hazardous to health in normal industrial use.

#### **12. ECOLOGICAL INFORMATION.**

Biodegradability: Data not available

Precautions: Prevent surface contamination of soil, ground & surface water.

#### **13. DISPOSAL CONSIDERATIONS.**

Avoid disposing to drainage systems and into the environment. Seek expert advice.

#### **14. TRANSPORT REGULATIONS.**

Shipping by road (ADR/RID): This product is not considered as dangerous goods

Shipping by air (IATA): This product is not considered as dangerous goods

Shipping by sea (IMDG): This product is not considered as dangerous goods

UN number: not regulated

UN proper shipping name: not regulated

Transportation hazard class: not regulated

Label: Orange oil

#### **15. REGULATORY INFORMATION.** According to Directive 88/379/EEC

Hazards: Harmful

Symbols: n/a

Risk Phrases: Harmful if swallowed

Safety Phrases: If swallowed seek medical advice immediately and show the container / label

#### **16. OTHER INFORMATION.**

Cosmetics Directive – 7th Amendment – Not Restricted

Check maximum usage levels for skin care products.

509  
Y  
N  
NHIÊT  
L  
HÀ



## PACKAGING

Type	Suitability
Glass	Yes
Lacquer lined steel/tin	Yes
Aluminum	Yes
HDPE	Yes

### SHELF LIFE:

Best before of 36 months from the date of manufacturing.

### Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.

